CERTIFICADO ◆ 인증서 ◆ CERTIFICATO ◆ 認証書 ◆ CERTIFICATE ◆ 认证证书 ◆ ZERTIFIKAT

C E R T I F I C A T E

No. Z1 091172 0019 Rev. 01

Holder of Certificate: **CAGSAN MERDIVEN VE ERISIM EKIPMANLARI SANAYI TICARET LIMITED SIRKETI**
Dilovasi O.S.B. 3 Kisim Meriç Cad. 1
41455 MUALLIM KÖYÜ - GEBZE, KOCAELI
TÜRKIYE

Certification Mark:

Product: **Standing step ladders for professional use**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier.
All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: MEC-V200220018460A-000TR

Valid until: 2031-06-10

Date, 2026-06-11

(Luca Pitti)

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

C E R T I F I C A T E

No. Z1 091172 0019 Rev. 01

Model(s): **Series Bergama**
BG2, BG3, BG4, BG5, BG6.
Series Hazar
HA102, HA103, HA104, HA105, HA106.
Series Olimpos
OL4, OL5, OL6, OL7.

Brand Name: **CAGSAN**

Parameters:

BERGAMA

Model	No. of steps	Approx.max.dead load [kg]	Approx.max. platform height [mm]	Approx.max. external dimensions [mm]
BG2	3	3,4	600	424 x 1276 x 117
BG3	4	4,0	820	445 x 1510 x 117
BG4	5	4,8	1040	467 x 1744 x 117
BG5	6	5,4	1260	488 x 1978 x 117
BG6	7	6,2	1474	509 x 2212 x 117

Stile profile [mm]: 40 x 20 x 1,35
Material: EN AW 6060, EN AW 6063;

Supporting leg profile [mm]: 35 x 20 x 1,35
Material: EN AW 6060, EN AW 6063;

Step profile [mm]: 80 x 42 x 1,35
Material: EN AW 6060, EN AW 6063;

Platform [mm]: 250 x 280 x 2,2
Material: PP H129

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

C E R T I F I C A T E

No. Z1 091172 0019 Rev. 01

HAZAR

Model	No. of steps	Approx.max.dead load [kg]	Approx.max. platform height [mm]	Approx.max. external dimensions [mm]
HA102	3	4,4	671	434 x 1395 x 139
HA103	4	5,2	930	463 x 1668 x 139
HA104	5	6,2	1193	492 x 1944 x 139
HA105	6	7,0	1453	521 x 2221 x 139
HA106	7	8,0	1734	550 x 2498 x 139

Stile profile [mm]: 50 x 20 x 1,4
Material: EN AW 6060, EN AW 6063;

Supporting leg profile [mm]: 40 x 20 x 1,35
Material: EN AW 6060, EN AW 6063;

Step profile [mm]: 100 x 42 x 1,35
Material: EN AW 6060, EN AW 6063;

Platform [mm]: 250 x 280 x 2,2
Material: PP H129

OLIMPOS

Model	No. of steps	Approx.max.dead load [kg]	Approx.max. platform height [mm]	Approx.max. external dimensions [mm]
OL4	4	4,3	841	440 x 900 x 175
OL5	5	5,1	1066	465 x 1135 x 175
OL6	6	6,2	1291	490 x 1370 x 175
OL7	7	7,2	1516	510 x 1605 x 175

Stile profile [mm]: 40 x 20 x 1,2
Material: EN AW 6060-T5

Step profile [mm]: 80 x 42 x 1,35
Material: EN AW 6060, EN AW 6063;

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany
TÜV®

ZERTIFIKAT ◆ 认证证书 ◆ CERTIFICATE ◆ 認証書 ◆ CERTIFICATO ◆ 인증서 ◆ CERTIFICADO

C E R T I F I C A T E

No. Z1 091172 0019 Rev. 01

Tested according to:	EN 131-1:2015/A2:2025 EN 131-2:2010/A3:2025 EN 131-3:2018/A1:2025 EK5/AK1 17-02.4:2021

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany