



Product Service

CERTIFICATE

No. Z1 091172 0028 Rev. 00

Holder of Certificate: **CAGSAN MERDIVEN VE ERISIM
EKIPMANLARI
SANAYI TICARET LIMITED SIRKETI**
Dilovasi O.S.B. 3 Kism Meriç Cad. 1
41455 MUALLIM KÖYÜ - GEBZE, KOCAELI
TÜRKIYE

Certification Mark:



Product: **Standing step ladders
(For Professional use)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: MES2080498A00TR

Valid until: 2028-04-13

Date, 2023-04-18

(GIANPAOLO MENSA)

CERTIFICATE

No. Z1 091172 0028 Rev. 00

Model(s): EVR-PRO4, EVR-PRO5, EVR-PRO6, EVR-PRO7, EVR-PRO8, EVR-PRO9, EVR-PRO10, REG2; REG3; REG4; REG5; REG6; REG7; REG8; REG9; REG10. VE2; VE3; VE4; VE5; VE6; VE7.

Parameters:

Model	No. of Steps	Dead Load [kg]	Max. Height [cm]
EVR-PRO4	4	6,5	100
EVR-PRO5	5	7,0	125
EVR-PRO6	6	8,5	150
EVR-PRO7	7	10,5	175
EVR-PRO8	8	12,0	200
EVR-PRO9	9	13,5	225
EVR-PRO10	10	15,5	250

Stile Profile (dimensions in mm): 79x27x1,7 mm
 Material: EN AW-6060-T5 Series Aluminium Alloy
 Step Profile (dimensions in mm): 80x28x1,7 mm
 Material: EN AW-6060-T5 Series Aluminium Alloy

Model	No. of Steps	Dead Load [kg]	Platform Height [cm]
REG2	3	9,0	75
REG3	4	10,5	100
REG4	5	12,0	125
REG5	6	13,5	150
REG6	7	15,0	175
REG7	8	16,5	200
REG8	9	18,0	225
REG9	10	19,5	250
REG10	11	21,0	275

Stile Profile [dimensions in mm]: 104,5x28,8x2,20
 Material: EN AW-6060-T5 Series Aluminium Alloy
 Step Profile [dimensions in mm]: 103,8x30x2,0
 Material: EN AW-6060-T5 Series Aluminium Alloy



Product Service

CERTIFICATE

No. Z1 091172 0028 Rev. 00

Model	No. of Steps	Dead Load [kg]	Platform Height [cm]
VE2	3	14,6	75
VE3	4	17,2	100
VE4	5	19,4	125
VE5	6	21,5	150
VE6	7	23,6	175
VE7	8	24,8	200

Stile [dimensions in mm] : 104,5x28,8x2,20
Stile Material : EN AW-6063
Rung [dimensions in mm] : 103,8x30x2,0
Rung Material: EN AW-6063

Tested according to: EN 131-1:2015/A1:2019
EN 131-2:2010/A2:2017
EN 131-3:2018